

products & solutions

Counters, Cabinets & Fittings













company

Company Info

Savekers Ltd



Our Solutions

With an enviable pedigree and heritage, together with more than 100 years as an established specialist in quality manufacturing, Savekers Ltd offers a level of production and service unrivalled in our field.

Building on the strengths and resource of the founding company, T Saveker Ltd, and through acquisitions and product diversification, we aim to provide an ever-evolving level of customer support through exceptional customer service and skilled bespoke and standard product manufacture.

All aspects of the Company and the skills within, join to collectively meet customer requirements across a range of disciplines and market sectors. These include shopfittings, POS, internet & IT solutions, metalwork, joinery, commercial & business support.

Metalwork Manufacture

Whether the requirement is for standard or bespoke products, for various applications, we are positioned to provide unrivalled products and solutions across a diverse range of architectural metalwork materials and finishes.

Alongside our specialist CAD technical design team, is our comprehensive 45,000 square foot production facility, which spans water jet cutting, CNC machining, NC bending, welding, polishing, general fabrication, anodising and chrome plating.

Our ever-growing portfolio of architectural metalwork products, recognised as one of the most comprehensive in the UK, provides solutions for local authorities, the retail sector, exhibitions, financial institutions, leisure & entertainment, construction – to name but a few.





Joinery Manufacture

As a specialist in the design and manufacture of high quality, stylish bespoke woodworking solutions, we are able to produce functional and beautifully crafted designs across a range of uses, applications and sectors.

Our team of skilled craftsmen are experienced in working with all types of wood - solid wood, real wood, veneer, laminate, and to incorporate glass, metalwork, or solid-surfacing. Furthermore, we operate a strict process of traceability to ensure that we only purchase timber from sustainable forests by sourcing material from registered environmentally friendly sources. Whatever the project nature or size, we will work from existing designs or through working closely with customers, to produce new designs utilising our established in-house CAD designers and facilities. Solutions may include timber reception desks, bars, counters, cabinets, storage units, POS and retail display shelving and furniture.

t +44 (0)121 331 1903

f +44 (0)121 331 1900

e info@savekers.com

w www.savekers.com

Please refer to our standard Terms & Conditions. Visit our website or contact us for a copy.





Contents

Counters, Cabinets & Fittings



Rapic Modular System

A standard range of single, double, angled and curved units are available to create reception counters, cash and wrap units, display units and desks. Bespoke counters and cabinets can be manufactured as required.



Feet & Legs

Wide range of standard and bespoke legs and adjustable feet available in various diameters and finishes



Cabinet Locks

A range of high security locks ideal for use on glass or wooden cabinets. Can be supplied as stand alone items or fitted to cabinets etc at time of manufacture if applicable. Locks can be specified to pass or differ.



Shelf Strips

Simple, flexible and discrete system for using inside counters and cabinets as well as for book cases. Available in a range of finishes.



Screen Pillars

Our standard range extends to a selection of metalwork pillars of differing heights and combination of angles. Functional and decorative pillars available as standard or to be poke designs.



Decorative Fittings

A range of decorative and functional products to accessorise counters and cabinets in a wide range of materials and finishes. Range includes glass top supports and fiddle rails.



Cash Handling & Vents

A selection of cash handling trays for simple and secure cash transfer plus cash till inserts and cash bowls. Ventilation plates are available in a range of sizes.



Connectors & Dividers

Comprehensive range of connectors and dividers. Choose from riser pillars, to slot around and fix panels that are ideal for counter top displays. Limitless options and configurations available.



Hinges & Accessories

Include a range of hinges, finger pulls and port holes for cables or worktop fittings.



Bespoke Manufacturing & Retail Systems

The Cantel Range of Retail Systems can be used to complement items shown in this brochure. We also have the ability to manufacture counters and cabinets to your bespoke design.



f +44 (0)121 331 1900

e info@savekers.com

w www.savekers.com

Please refer to our standard Terms & Conditions. Visit our website or contact us for a copy.



Counters, Cabinets & Fittings

Our standard and bespoke range includes full display units through to accessories and complementary components. All items can be tailored to suit specific requirements and appearances.

Related Product Ranges

- Sliding Door & Window Track
- Retail Systems
- Shelving Systems
- Leisure Range
- Protection Screens

Many of the products illustrated can be manufactured to customers' specific size and finish requirements. As manufacturers, we are happy to quote against specific requirements on receipt of sketches or drawings.

An on-line catalogue of standard products can be found on our website.

Please also refer to our standard Terms & Conditions. We reserve the right to amend designs and products without prior notification.

Please refer to our Cleaning & Maintenance Guidance sheet

Savekers Limited






Basic Units

Rapic Modular System






H1030

Modular system created from a basic range of units which can provide storage and display for every application and environment. The units can be joined together to create a varied range of formats, from basic counters to a fully built tailored island - all to your requirements. The system can be specified in a range of finishes to suit the surroundings and any particular branding.

H1030 RAPIC Single Base Unit. Standard unit has solid back and sides with open front. Overall height of unit is 600mm x 350mm wide x 600mm deep. Includes internal pre fitted shelf strip. Available in maple, oak or cherry effect. Other finishes available on request.



H1031

H1031 RAPIC Double Counter Unit. Standard unit has solid back and sides with open front. Overall height is 600mm x 950mm wide x 600mm deep. Includes pre fitted shelf strip. Available in maple, oak or cherry effect. Other finishes available on request.

H1032 RAPIC Single Tall Unit . Standard unit has solid back and sides with open front. Overall height is 1650mm x 350mm wide x 600mm deep. Includes pre fitted shelf strip. Available in maple, oak or cherry effect. Other finishes available on request.

See Page 5 for H1040 legs.



H1032



- t +44 (0)121 331 1903
- +44 (0)121 331 1900
- e info@savekers.com
- w www.savekers.com

Please refer to our standard Terms & Conditions. Visit our website or contact us for a copy.



Savekers Limited 101 Aldridge Road, Perry Barr,

Birmingham, B42 2TS, United Kingdom






Basic Units

Rapic Modular System






H1033

H1033 RAPIC 45° Corner Unit. Standard unit has solid back and sides with closed front. Overall height is 600mm x 492mm maximum width x 600mm deep. Available in maple, oak or cherry effect. Other finishes available on request.

H1034 RAPIC 90° Corner Unit. Standard unit has solid back and sides with open front. Overall height is 600mm x 874mm maximum width x 600mm deep. Available in maple, oak or cherry effect. Other finishes available on request.



H1034 Shown with optional solid front




H1035

H1035 RAPIC 45° Curved Unit. Standard unit has solid back and sides with closed front. Overall height is 600mm x 492mm maximum width x 600mm deep. Available in maple, oak or cherry effect. Other finishes available on

See Page 5 for H1040 legs.



Single unit with drawers



e info@savekers.com

w www.savekers.com



Sample configuration including legs, feet and glass work surfaces

Please refer to our standard Terms & Conditions. Visit our website or contact us for a copy.

Savekers Limited 101 Aldridge Road, Perry Barr, Birmingham, B42 2TS,

United Kingdom






Basic Units

Rapic Modular System





H1036

H1036 RAPIC 90 deg Curved Unit. Standard unit has solid back and sides with open front. Overall height is 600mm x 874mm maximum width x 600mm deep. Available in maple, oak or cherry effect. Other finishes available on request.

H1037 RAPIC 90 deg Tall Corner Unit . Standard unit has solid back and sides with open front. Overall height is 1650mm x 874mm maximum width x 600mm deep. Available in maple, oak or cherry effect. Other finishes available on request.

<code>H1038 RAPIC 90 deg Tall Curved Unit .</code> Standard unit has solid back and sides with open front. Overall height is $1650 \text{mm} \times 874 \text{mm}$ maximum width $\times 600 \text{mm}$ deep. Available in maple, oak or cherry effect. Other finishes available on request.



H1037



H1038

H1040 Pair of side legs for basic counter units. Legs can be specified as ends and centres. Main upright is from 38mm dia tube with 32mm dia crossrails and mounts for easy assembly. Legs include a domed top cap which can pass through glass or timber work surfaces. Satin chrome plated as standard with other finishes available on request.



H1040





Double Unit with Glass Top

- t +44 (0)121 331 1903
- f +44 (0)121 331 1900
- e info@savekers.com
- w www.savekers.com

Please refer to our standard Terms & Conditions. Visit our website or contact us for a copy.


Savekers Limited



Accessories

Rapic Modular System







H190



H256

H190 Glass counter top or front panel support pillar. Available as 38mm or 51mm diameter pillar 76mm high with domed top fixing or other heights made to order. Bolts through counter top from underside. Requires a 14mm diameter fixing hole in the glass and a 14mm diameter hole in the counter. Please advise glass thickness and counter thickness when ordering. Polished Brass. Chrome. Satin Chrome. Stainless Steel.

H256 38mm counter leg with H198 adjustable foot providing up to 30mm height adjustment. 100mm square top plate. Height 150mm or 250mm when closed or other heights made to order. Chrome. Satin Chrome.

nt Support (H190)



Accessories

rved Corner Top ed Corner Top

		End Leg Set	Centre Leg Se	Leg with adjust	Single Hing	Double Hin	Double Wooden	Glass Slidir	Wooden 1	Glass To	Wooden	Glass To	Wooden 90° Cu	Glass 90° Cun	Double Wid	Single Wid	90° corne	Counter Top/Fro	Horizont	
Code	Product																			
H1030	Single Base Unit	•	•	•	•						•	•				•		•	•	
H1031	Double Base Unit	•	•	•		•	•	•	•	•					•			•	•	
H1032	Single Tall Unit	•	•	•	•						•	•				•		•	•	
H1033	45° Corner Unit	•	•	•														•	•	
H1034	90° Corner Unit	•	•	•									•	•			•	•	•	
H1035	45° Curved Unit	•	•	•														•	•	

Sliding Door Set

ed Door Set led Door Set

Pair) (H1040)

Product and Accessory compatibility chart.

See other ranges for additional accessories.

t +44 (0)121 331 1903 f +44 (0)121 331 1900

e info@savekers.com

w www.savekers.com

Please refer to our standard Terms & Conditions. Visit our website or contact us for a copy. Savekers Limited





Feet & Legs

Counters, Cabinets & Fittings





H75











pattern on the stems.

H256 38mm counter leg with H198 adjustable foot providing up to 30mm height adjustment.

100mm square top plate. Height 150mm or 250mm when closed or other heights made to order. Chrome. Satin Chrome.

H58 Drive-in adjustable foot with steel insert and black plastic base. Foot pivots 25° from vertical. Provides up to 13mm height adjustment Requires 9.5mm diameter hole in leg for fixing.

Many of the legs shown can also be supplied in a powder coated finish in a range of

colours. Minimum order quantity will apply. Satin chrome finishes will have a linear grain

H75 Adjustable foot for 25mm square 16g tube with steel adjuster and black plastic base and insert Foot pivots 25° from vertical. Provides up to 13mm height adjustment.

H82 Nylon pad adjustable foot 51mm diameter base, 32mm diameter top plate, 12mm diameter stem. Provides up to 30mm height adjustment. Chrome. Satin Chrome.

H172 Counter leg with adjustable foot. 25mm or 32mm diameter with H58 type pivoting adjustable foot providing up to 13mm height adjustment. 75mm square top plate. Up to 250mm high when closed or other heights made to order. Chrome. Satin Chrome.

H198 Adjustable foot. 38mm diameter base, 32mm diameter top plate, 12mm diameter stem. Provides up to 30mm height adjustment. Chrome, Satin Chrome,

H435 51mm counter leg with H82 nylon pad adjustable foot providing up to 30mm height adjustment with 100mm square top plate. Sliding, outer sleeve drops down to cover gap between foot and leg when height is extended giving a neat appearance. Height 150mm when closed. Chrome. Satin Chrome.

H1402 Support column to create three shelf display units. Each leg set comprises one base section with foot, one centre section and one top section with screw in top cap. Each section available as 250mm high by either 25mm, 32mm, 38mm or 51mm dia with screw in top cap. Other heights can be made to order. Requires a 14mm diameter hole to be drilled in shelf for each leg section. Can also be supplied with 100mm diameter base plate for floor fixing Polished Brass. Chrome. Satin Chrome. Stainless

H3065 25mm square counter leg with H75 type pivoting adjustable foot for providing up to 13mm height adjustment 75mm square top plate, 175mm high when closed, Chrome, Satin Chrome. Matt Black.



H1402 (4 sets shown)

t +44 (0)121 331 1903

+44 (0)121 331 1900

e info@savekers.com

w www.savekers.com

Please refer to our standard Terms & Conditions. Visit our website or contact us for a copy.





Cabinet Locks

Counters, Cabinets & Fittings



H34



H34 (with notched tongue)



H73 (shown with lock)



H81





H934











All locks on this page are supplied with two keys. Extra security keys are available (H945). All high security locks have 100 differs available. Most lock centres can be changed without changing the entire lock (H910). Key numbers can be in suites to pass or to differ at no additional cost.

H34 High security cam lock for 6mm or 10mm glass. Requires oval hole to be cut in glass to supplied template. Body 19mm diameter. Closes to either left or right. Supplied with plain or notched tongue. Chrome. Satin Chrome.

H73 Front rim suitable for all locks on this page. 33mm front face diameter with 19mm internal diameter hole. 12mm deep. Chrome. Satin Chrome.

H81 Eyelet for 6.4mm plungers. Chrome. Satin

H168 Drawer or door lock with five disc action and up to 75 differs. Body 19mm diameter, back 40mm wide x 38mm high. Chrome.

H941 High security cam lock for a 6mm or 10mm hinging glass door. Requires 20mm diameter hole to be drilled in glass. Chrome. Satin Chrome.

H942 High security cam lock for a pair of 6mm or 10mm hinging glass doors. Requires 20mm hole to be drilled in one of the doors. Extended front plate prevents undrilled doors from being opened. Tongue closes behind stop block which is fitted to floor of cabinet. Chrome. Satin Chrome.

H934 High security cam lock for wooden doors. Body 19mm diameter. Closes to either left or right. Supplied with plain or notched tongue. Chrome. Satin Chrome.

H962 High security drawer or door lock. Body 19mm diameter. Back plate 41mm square x 7mm thick. Supplied with catch plate. Chrome. Satin Chrome.

H964 High security slam lock for drawer or door. Closes onto catch plate supplied and self locks. Body 19mm diameter. Back plate 41 mm square x 10mm thick. Chrome. Satin Chrome.

H967 High security plunger lock. Body 19mm diameter. Suitable for use with H81 eyelet Also available with standard lock centre H267. Chrome, Satin Chrome.





Shelf Strips

Counters, Cabinets & Fittings



H125 Self adhesive clear polyurethane shelf rest for use with glass shelves.

H871 Shelf strip 19mm wide for recessed fitting. Supplied in 1.83m lengths. Chrome. Satin Chrome. Brass dye lacquered. Powder Coated Bronze. Unfinished Steel.

H897 Bracket for H871 shelf strip. Use with H125 shelf rest for glass shelves. Chrome. Satin Chrome. Brass dye lacquered. Powder Coated Bronze. Unfinished Steel.

H1955 Shelf strip 25mm wide for face fixing. Supplied in 1.83m lengths. Chrome. Satin Chrome. Brass dye lacquered. Powder Coated Bronze. Unfinished Steel.

H1956 Shelf bracket for H1955 shelf strip. Use with H125 shelf rest for glass shelves. Chrome. Satin Chrome. Brass dye lacquered. Powder Coated Bronze. Unfinished Steel.

H1959 Shelf bracket with peg for H1955 shelf strip. To fit, drill a 6mm diameter locating hole 6mm deep into shelf. Chrome. Satin Chrome. Brass dye lacquered. Powder Coated Bronze. Unfinished Steel. **H2982** Slimlite shelf strip 10mm x 7mm. Supplied in 3.05m lengths. Chrome. Satin Chrome. Brass dye lacquered. Powder Coated Bronze. Unfinished Steel.

H2983 Slimlite shelf bracket for H2982 strip. Use with H125 shelf rest for glass shelves. Chrome. Satin Chrome. Brass Dye Lacquered. Powder Coated Bronze. Unfinished Steel.



Assembled Shelf Strip

t +44 (0)121 331 1903

f +44 (0)121 331 1900

e info@savekers.com

w www.savekers.com

Please refer to our standard Terms & Conditions. Visit our website or contact us for a copy.





Screen Pillars

Counters, Cabinets & Fittings















H1667 End

H1667 Corner

H32 Handspace stop blocks, usually 50mm high, can be fitted to any of the pillars on this page to provide a gap between the counter and the glass.

H440 Wall channel for 6mm or 10mm panels supplied in cut lengths up to 2m. Chrome. Satin Chrome. Brass Dye Lacquered. Powder Coated Bronze.

H495 Round section pillars with 6mm or 10mm channels 25mm diameter stem on 75mm diameter base. Supplied as end, centre or any angle corner. Heights 375mm, 450mm, 525mm, 600mm, 750mm or other heights made to order. Chrome. Satin Chrome. Brass Dye Lacquered. Powder Coated Bronze.

H567 Bold screen pillar for 6mm or 10mm panels. 51mm diameter stem on 100mm diameter base. Supplied as end, centre or any angle corner. Heights 300mm or 600mm or other heights made to order. Polished Brass. Chrome. Satin Chrome.

H832 38mm screen pillar with 6mm or 10mm channel. 38mm diameter stem on 75mm diameter base. Supplied as end, centre or corner. Heights 300mm, 450mm or 600mm or other heights made to order. Polished Brass. Chrome. Satin Chrome.

H834 Decorative screen pillar with panel clips for 6mm or 10mm panels. 38mm diameter stem on 75mm diameter base with H611 panel clip & fixings for heights 300mm and 450mm or H612 panel clip & fixings for heights 600mm or above. Polished Brass. Chrome. Satin Chrome.

H1667 Square tubular pillar with 6mm or 10mm channel. 25mm square stem on 63mm square base. Supplied as end, centre or 90° corner. Heights 375mm, 450mm, 525mm, 600mm or 750mm or other heights made to order. Chrome. Satin Chrome. Brass Dye Lacquered. Powder Coated Bronze. Anodised.



H834

t +44 (0)121 331 1903

f +44 (0)121 331 1900

e info@savekers.com

w www.savekers.com

Please refer to our standard Terms & Conditions. Visit our website or contact us for a copy.





Decorative Fittings

Counters, Cabinets & Fittings











H1779

H2946

H190 Glass counter top or front panel support pillar. Available as 38mm or 51mm diameter pillar 76mm high with domed top fixing or other heights made to order. Bolts through counter top from underside. Requires a 14mm diameter fixing hole in the glass and a 14mm diameter hole in the counter. Please advise glass thickness and counter thickness when ordering. Polished Brass. Chrome. Satin Chrome. Stainless Steel.

H483 Guard rail pillar for through shelf fitting. Pillar is 25mm high overall from top of shelf and accepts 6mm rod. Requires 6mm hole to be drilled in shelf up to 20mm thick for fitting. Polished Brass. Chrome.

H646 Ball top guard rail pillar for clamp fixing. Pillar is 45mm high overall from top of shelf and accepts 6mm rod. Threaded fixing clamps to the underside of shelves up to 10mm thick eliminating the need to drill for fitting. Polished Brass. Chrome.

H1779 Tall ball top guard rail pillar for screw fixing. Pillar is 75mm high overall and accepts 13mm diameter tube. Available as end, centre, 90° or 135° corner. 30mm diameter fixing plate. Polished brass. Chrome. Satin Chrome.

H2946 Ball top guard rail pillar for screw fixing. Pillar is 38mm high overall and accepts 6mm diameter rod. Available as end, centre and 90° or 135° corner. 25mm diameter fixing plate. Polished Brass. Chrome.

Cash Handling

Counters, Cabinets & Fittings













H166 Coin scoop 280mm wide, 250mm front to back x 45mm overall depth. Requires cut out 255mm x 224mm.

H187 Cash transfer tray 250mm wide, 350mm front to back \times 90mm overall depth. Requires cut out 240mm \times 340mm.

H309 Cash till insert formed in tough black ABS with two note clips. 332mm wide x 312mm front to back x 57mm overall depth.

H325 Security transfer tray 300mm x 300mm x 120mm overall depth. Requires cut out 285mm x 285mm.

H355 Cash drawer 355mm wide x 408mm front to back x 75mm deep formed in tough black ABS. Incorporates lock, pull handle and H309 cash till insert. Fits into black anodized aluminium frame 415mm square x 80mm deep which is screw fixed to underside of desk or counter. Catch plate for lock also fitted to underside of desk or counter acts as drawer stop.

H3081 Cash bowl formed in tough black ABS. Hole fitting size 102mm diameter. 68mm overall depth.

t +44 (0)121 331 1903

f +44 (0)121 331 1900

e info@savekers.com

w www.savekers.com

Please refer to our standard Terms & Conditions. Visit our website or contact us for a copy.





Connectors & Dividers

Counters, Cabinets & Fittings














H88 Universal binning clip for 6mm panels. 25mm high. Chrome. Satin Chrome.

H191 Shelf rest in white nylon with chrome capped screw. Requires a 4.5mm hole to be drilled in panel.

H192 Frameless panel connector with chrome capped screws and nylon washers. 4.5mm holes 25.5mm centres from external corner. Suitable for panels up to 6mm thick. Chrome.

H522 Riser pillar for 6mm panels with 38mm x 38mm fixing plate. Supplied as left or right hand ends, left or right hand corners, centre or three way. Height 100mm or 150mm. Chrome. Satin Chrome.



H2931 Riser supports for 6mm panels. Supplied as left or right hand corners ends and centres, three way or channel. Height 75mm. Chrome.

H2932 Binning clips for panels up to 6mm thick. Size 57mm x 57mm. Supplied as A three way, B four way or C corner. Chrome.

Vents

Counters, Cabinets & Fittings









H320 Porthole ventilator can be specified with

gauze insect screen in Polished Brass. Chrome. Satin Chrome. Unfinished.

Fixing hole diameter	Shank length
9.95mm	10.0mm
12.90mm	10.0mm
16.20mm	13.0mm
19.28mm	25.0mm
25.65mm	25.0mm

H645 Double row ventilator in widths 50mm, 75mm or 100mm. Supplied in 2m stock lengths or cut lengths up to 2m. May require fine mesh aluminium gause H62. Polished Brass. Chrome. Satin Chrome. Anodised.

H1766 Single row ventilator in widths 25mm, 50mm, 75mm or 100mm. Supplied in 2m stock lengths or cut lengths up to 2m. Polished Brass. Chrome. Satin Chrome. Anodised.

H3002 Square hole ventilator. Holes 12mm square with 6mm web. Sizes 150mm x 75mm, 300mm x 100mm, 600mm x 200mm from widths 75mm, 100mm, 150mm, 200mm, 250mm or 300mm in cut lengths up to 2m. Other sizes made to order. Supplied plain or drilled for fixing. Anodised.

t +44 (0)121 331 1903

f +44 (0)121 331 1900

e info@savekers.com

w www.savekers.com

Please refer to our standard Terms & Conditions. Visit our website or contact us for a copy.

Savekers Limited







Accessories

Counters, Cabinets & Fittings





H103 Meter measure marked mm and cm. Government stamped. Brass.

H205 Hinge section for 6mm or 10mm glass doors. Hinge sections are fitted to top and bottom of glass doors with hinge pins located into barrels recessed into top and bottom of opening. Glass should be bonded into hinge sections. Supplied in pairs for one door up to 500mm long. Where locking is required use H941/H942 featured on page 8. For 6mm glass cutting deduct 40mm from the height of the opening and 8mm from the width of the opening. For 10mm glass cutting deduct 70mm from the height of the opening and 8mm from the width of the opening. Anodised.

H206 Hinges for 6mm glass to glass fitting. Two sections 38mm x 22mm clamp over glass door and hinge against glass side panels. Glass door and panel must be drilled with 10mm hole. Supplied in pairs. Polished Brass. Chrome. Satin Chrome.

H207 Hinges for 6mm glass to cabinet fitting. Two sections 38mm x 22mm locate over glass door, are connected with fixing through 10mm hole drilled in door and hinge against a panel screwed to side of opening. Supplied in pairs. Polished Brass. Chrome. Satin Chrome.

H211 Large hinges for 6mm or 10mm glass to glass fitting. Two sections 75mm x 65mm locate over door, are connected with fixing through 14mm hole drilled in door and hinge against sections similarly fixed to side panels. Supplied in pairs. Polished Brass. Chrome. Satin Chrome.

H212 Large hinges for 6mm or 10mm glass to cabinet fitting. Two sections 75mm x 65mm locate over door, are connected with fixing through 14mm hole drilled in door and hinge against a panel screwed to side of opening. Supplied in pairs. Polished Brass. Chrome. Satin Chrome.

H419 Small recessed finger pull 31.7mm diameter x 6mm deep. Chrome.

H549 Corner section for 6mm panels to match H550 and H551 supplied in cut lengths up to 3m. May require H141 bedding strip. Polished Brass. Chrome. Satin Chrome.

H550 Centre section for 6mm panels to match H549 and H551 supplied in cut lengths up to 3m. May require H141 bedding strip. Polished Brass. Chrome. Satin Chrome.

H551 Channel section for 6mm panels to match H549 and H550 supplied in cut lengths up to 3m. May require H141 bedding strip. Polished Brass. Chrome. Satin Chrome.

H640 Channel section in various sizes subject to availability. Supplied in cut lengths up to 3.66m. Polished Brass. Chrome. Satin Chrome. Polished Aluminium.

H641 Strip from 1.6mm or 3mm material in widths from 12mm upwards. Supplied in cut lengths up to 3.66m. Polished Brass. Chrome. Satin Chrome.

H642 Angle section in various sizes from 19mm x 19mm to 51mm x 51mm. Supplied in cut lengths up to 3.66m. Polished Brass. Chrome. Satin Chrome. Polished Aluminium.

H644 Section with 3mm wall 12mm x 12mm, 19mm x 19mm or 25mm x 25mm in cut lengths up to 2m. 12mm and 19mm in Polished Brass. Chrome. Satin Chrome. 25mm only in Polished Aluminium.

H1415 Port for desk or worktop fitting. Internal diameter: 12mm, 19mm, 25mm, 32mm, 38mm, 51mm, 63mm and 76mm. Can be supplied with or without fixing holes. Polished Brass. Chrome. Satin Chrome.

H3082 Continuous hinge 26mm wide when open by 1.83m long. Polished Brass. Chrome. Satin Chrome.

t +44 (0)121 331 1903

f +44 (0)121 331 1900

e info@savekers.com

w www.savekers.com

Please refer to our standard Terms & Conditions. Visit our website or contact us for a copy. Savekers Limited





Bespoke Manufacturing

Counters & Units Made to Order







As a specialist in the design and manufacture of high quality, stylish bespoke woodworking solutions, Savekers can produce functional and beautifully crafted designed bespoke counters, reception desks, cabinets and display units to suit customers specific needs.

Our team of skilled craftsmen are experienced in working with all types of wood - solid wood, real wood, veneer, laminate, and to incorporate glass, metalwork, or solid-surfacing. Furthermore, we operate a strict process of traceability to ensure that we only purchase timber from sustainable forests by sourcing material from registered environmentally friendly sources.

Please contact our Sales team for further information and to request a quotation.

Retail Systems

POS, Storage & Product Display







Providing independent and multiple retailers with flexible interchangeable options for POS, storage and product display. The systems can be complemented by a full range of accessories and finishes.

- Cantel Ikon 7000
- Cantel Focus 8000
- Cantel Vogue 9000
- Cantel Accessories
- Tubus 32
- Sav Oval System
- Bakery Display
- Cable Systems
- Accessories

Full catalogue available on request

t +44 (0)121 331 1903

f +44 (0)121 331 1900

e info@savekers.com

w www.savekers.com

Please refer to our standard Terms & Conditions. Visit our website or contact us for a copy. Savekers Limited
101 Aldridge Road, Perry Barr,
Birmingham, B42 2TS.

Birmingham, B42 2TS, United Kingdom

Ranges Available



Please contact our Sales team for further information, technical assistance or to discuss any requirements.