

products & solutions

Pedestrian Guidance & Barriers













company

Company Info

Savekers Ltd



Our Solutions

With an enviable pedigree and heritage, together with more than 100 years as an established specialist in quality manufacturing, Savekers Ltd offers a level of production and service unrivalled in our field.

Building on the strengths and resource of the founding company, T Saveker Ltd, and through acquisitions and product diversification, we aim to provide an ever-evolving level of customer support through exceptional customer service and skilled bespoke and standard product manufacture.

All aspects of the Company and the skills within, join to collectively meet customer requirements across a range of disciplines and market sectors. These include shopfittings, POS, internet & IT solutions, metalwork, joinery, commercial & business support.

Metalwork Manufacture

Whether the requirement is for standard or bespoke products, for various applications, we are positioned to provide unrivalled products and solutions across a diverse range of architectural metalwork materials and finishes.

Alongside our specialist CAD technical design team, is our comprehensive 45,000 square foot production facility, which spans water jet cutting, CNC machining, NC bending, welding, polishing, general fabrication, anodising and chrome plating.

Our ever-growing portfolio of architectural metalwork products, recognised as one of the most comprehensive in the UK, provides solutions for local authorities, the retail sector, exhibitions, financial institutions, leisure & entertainment, construction – to name but a few.





Joinery Manufacture

As a specialist in the design and manufacture of high quality, stylish bespoke woodworking solutions, we are able to produce functional and beautifully crafted designs across a range of uses, applications and sectors.

Our team of skilled craftsmen are experienced in working with all types of wood - solid wood, real wood, veneer, laminate, and to incorporate glass, metalwork, or solid-surfacing. Furthermore, we operate a strict process of traceability to ensure that we only purchase timber from sustainable forests by sourcing material from registered environmentally friendly sources. Whatever the project nature or size, we will work from existing designs or through working closely with customers, to produce new designs utilising our established in-house CAD designers and facilities. Solutions may include timber reception desks, bars, counters, cabinets, storage units, POS and retail display shelving and furniture.

t +44 (0)121 331 1903 f +44 (0)121 331 1900

e info@savekers.com

w www.savekers.com

Please refer to our standard Terms & Conditions. Visit our website or contact us for a copy. Savekers Limited 101 Aldridge Road, Perry Barr, Birmingham, B42 2TS,

United Kingdom





Contents

Pedestrian Guidance & Barriers



Rope Barrier Systems

This traditional system provides an attractive queuing system that delivers flexibility for instant change as necessary. Available as fixed, freestanding or floor socket options, with a range of accessories and sockets.



Retractable Barrier System

A versatile and easy-to-use system, with a 2m retractable strap available in standard colours or to customers' specific requirements. Wall-mounted units are also available. Available as fixed, freestanding or floor socket options.



Gates & Barriers

A permanent solution to pedestrian guidance with the range available in polished brass, chrome, satin chrome and stainless steel. Options include single or double barriers, self-closing gates; all complete with floor fixing and cover plates.



Bumper Rails & Brackets

Ideal protection for areas used frequently by trolleys etc, such as in hospitals, schools, hotels, airports or public buildings. Also suitable for counter and footrail areas. Floor and counter fixed options available.



Accessories

A wide range of accessories are available to complement the Pedestrian Guidance Range including literature dispensers, floor sockets, signs and message holders.



Pedestrian Guidance & Barriers

Functional and durable systems assist in providing solutions for queuing, guiding, restricting access, and guarding, whilst also complementing the surrounding environment. The ranges are interchangeable and can be tailored to suit branding and specific needs.

Related Product Ranges

- Retail Systems
- Counters, Cabinets & Fittings
- Leisure Range
- Protection Screens

Many of the products illustrated can be manufactured to customers' specific size and finish requirements. As manufacturers, we are happy to quote against specific requirements on receipt of sketches or drawings.

An on-line catalogue of standard products can be found on our website.

Please also refer to our standard Terms & Conditions. We reserve the right to amend designs and products without prior notification.

Please refer to our Cleaning & Maintenance Guidance sheet.

Savekers Limited

101 Aldridge Road, Perry Barr, Birmingham, B42 2TS, United Kingdom





Rope Barrier Systems

Pedestrian Guidance & Barriers



















This traditional rope barrier system provides an attractive queuing system that has the flexibility to change the queue layout as necessary.

51mm diameter barrier posts are fitted with a 320mm diameter, 8.5kg weighted base and a matching cover plate. Posts can be supplied unassembled on request. Alternatively permanent floor fixings or floor sockets are available.

H80 Screw wall ring can be used to locate the end of a barrier rope to a wall or counter. Chrome. Satin Chrome. Brass Dye Lacquered. Powder Coated Bronze. Powder Coated.

H221 Braided rope is 25mm diameter soft feel polyester rope Supplied cut to your required length from a choice of red, blue, white, green or black (please note: natural is no longer available as a standard colour). Other colours can be quoted on request and may be subject to minimum quantities. Requires W574, W661 or W578 hook sockets.

H544 Fixed barrier post is 915mm high overall. Requires H221 rope and fittings. Chrome. Satin Chrome. Brass Dye Lacquered. Powder Coated Bronze. Powder Coated.

H574 Rope hook socket is supplied fitted to H221 rope. Can also be supplied as a captive

hook complete with H603 wall ring plate and H221 rope to prevent rope being removed. Stainless Steel. Chrome. Satin Chrome. Brass Dye Lacquered. Powder Coated Bronze. Powder Coated

H575 Rings for additional rows of ropes can be fitted to posts.

H578 Emergency parting rope socket is supplied fitted to H221 rope. If overloaded the socket divides to allow the rope to drop to the floor without pulling over the post, thus limiting the obstruction in the event of an emergency. Chrome. Satin Chrome. Brass Dye Lacquered. Powder Coated Bronze. Powder Coated.

H603 Wall ring plate can be used to locate the end of a barrier rope to a wall. Can be supplied complete with a captive H574 rope hook socket and H221 rope to prevent rope being removed. Chrome. Satin Chrome. Brass Dye Lacquered. Powder Coated Bronze. Powder Coated.

H661 Spring hook socket is supplied fitted to H221 rope and provides a more positive fixing of rope to post. Chrome. Satin Chrome. Brass Dye Lacquered. Powder Coated Bronze.

H1109 Wooden barrier post is 980mm high overall. Requires H221 rope and fittings. Wooden post with powder coated cover plate, ball top and rings.

H1117 Barrier rope post 935mm high overall, with rings attached on one or both sides. Requires H221 rope and fitting. Chrome. Satin Chrome. Powder Coated Bronze. Polished Brass. Powder Coated.

H1118 Outdoor barrier rope post 935mm high overall and made from stainless steel material with galvanized weighted base. Requires H221 rope and H574 rope hook socket.



H221

t +44 (0)121 331 1903

f +44 (0)121 331 1900

e info@savekers.com

w www.savekers.com

Please refer to our standard Terms & Conditions. Visit our website or contact us for a copy. Savekers Limited 101 Aldridge Road, Perry Barr, Birmingham, B42 2TS, United Kingdom





Retractable Barrier System

Pedestrian Guidance & Barriers















Retractable Barrier System

H1416

H911 System

H911 Retractable barrier with coloured strap which extends to 2m. 935mm high overall with a 8.5kg weighted base and cover. Can be supplied with an accessory-holding top cap. Chrome. Satin Chrome. Polished Brass. Powder Coated Bronze. Powder Coated.

H912 Retractable barrier end/centre post is 935mm high overall with a 8.5kg weighted base with cover. Can be supplied with an accessory holding top cap. Chrome. Satin Chrome. Polished Brass. Powder Coated Bronze. Powder Coated.

H915 Wall mounted barrier is particularly suitable where space is limited and where the flexibility of a moveable post is not required. Chrome. Satin Chrome. Brass Dye Lacquered. Powder Coated Bronze. Powder Coated.

H916 Wall mounted barrier end to locate the end of the barrier strap to a wall.

H1416 Freestanding sign with 51mm diameter, 915mm high stem on 8.5kg weighted base with cover plate. The sign, which is 279mm x 203mm x 6mm (landscape or portrait) locates into the top of the stem and is secured with a grub screw. A wide selection of background and text colours are available with wording to your requirements on both sides. Special signs incorporating logos, graphics or text are available on request. Polished Brass. Chrome. Satin Chrome

Please refer to page 6 for Accessories.



Strap Colours for H911

t +44 (0)121 331 1903 f +44 (0)121 331 1900

e info@savekers.com

w www.savekers.com

Please refer to our standard Terms & Conditions. Visit our website or contact us for a copy. Savekers Limited 101 Aldridge Road, Perry Barr, Birmingham, B42 2TS, United Kingdom





Gates, Barriers, Bumper Rails & Brackets

Pedestrian Guidance & Barriers









H470 Centre post

TIF

Post base & cover

H1934 / H535

H581 / H470

H269 Counter corner protection bollard. 51mm or 76mm diameter, 550mm high with 150mm diameter welded base and coverplate. Chrome. Satin Chrome. Stainless Steel.

H469 As H470 but with single rail.

H470 Double barrier system 910mm high from 38mm diameter tube with 100mm diameter bases or 51mm tube with 150mm diameter bases. Bases with four fixing holes and cover plates. The top rail joints have liner sleeves and bolt fixings giving a smooth surface. Uprights are usually spaced at 1m to 1.25m intervals. Available as ends, centres or corners with special angles and heights to order. Top caps can be supplied drilled and unfitted to enable a wooden shelf to be fitted along the top of the barrier. Polished brass. Chrome. Satin Chrome. Stainless Steel.

H535 Self-closing double action barrier gate made in 25mm diameter tube and fitted to either a 38mm post with 100mm dia base plate and cover or 51mm post with 150mm dia base plate and cover. Gate arm is either 750mm or 1m wide. Please request full size details when planning installation. Suitable for pedestrian access only. Polished Brass. Chrome. Satin Chrome, Stainless Steel.

H545 As H1934 but with single rail.

H581 Single action paired gates to suit opening 1m wide. Provides a 700mm clear access. 100mm diameter fixing plate and cover

plate. Exit/No Entry signs with fixings available. Suitable for pedestrian access only. Polished Brass Chrome Satin Chrome

H584 Swing over gate stop to limit double action gates to 90° opening. Chrome. Satin Chrome.

H707 Trolley protection rail pillar 300mm high overall for 51mm diameter rail with 100mm diameter fixing plate. Chrome. Satin Chrome.

H708 Curved corner protection rail made from 51mm diameter tube with two supports and 75mm diameter wall fixing plates. Outside radius of tube 275mm. Chrome. Satin Chrome. Stainless Steel.

H709 Corner protection rail made from 51 mm diameter tube with two supports and 75mm diameter wall fixing plates. 116mm overall protection, 65mm internal protection. Length 330mm end to corner. Chrome. Satin Chrome. Stainless Steel.

H1934 Double barrier system 910mm high from 38mm diameter tube with 100mm diameter bases or 51mm tube with 150mm diameter bases. Bases with four fixing holes and cover plates. Cross rails are fixed with liner sleeves. Uprights are usually spaced at 1m to 1.25m intervals. Available as ends, centres or corners with special angles, curves and heights to order. Polished Brass. Chrome. Stainless Steel.



H708



H709





United Kingdom

H269

H707

Please refer to our standard Terms & Conditions.

Savekers Limited 101 Aldridge Road, Perry Barr, Birmingham, B42 2TS,

t +44 (0)121 331 1903 f +44 (0)121 331 1900 e info@savekers.com

w www.savekers.com

5

Visit our website or contact us for a copy.





Accessories

Pedestrian Guidance & Barriers













H470 Barrier with writing top

H452 / H161

H161 Sign panel in laminated plastic engraved with your message in various colours. 250mm x 200mm (landscape or portrait) to fit H452 sign card frame.

H452 Sign card frame to screw into drilled and tapped post top accepts signs 250mm x 200mm (landscape or portrait). Suitable for H161 sign panel. Chrome. Satin Chrome. Brass Dye Lacquered. Powder Coated Bronze.

H471 Floor socket with removable plug, 150mm deep for 38mm or 51mm diameter posts or made to order for 63mm diameter posts. Sanded Brass. Chrome. Satin Chrome.

H890 Sign is 279mm x 203mm x 6mm and can be landscape or portrait. A wide selection of background and text colours is available with wording to your requirements on both sides. Special signs incorporating logos or special text styles can be quoted on request.

H891 A4 message holder displays customers' own paper or card signs within a clear acrylic holder. Suitable for situations where the message is regularly changed.

H892 A4 literature holder accommodates up to 25mm thickness of A4 portrait literature to dispense promotional literature to queuing customers.



Pedestrian guidance at River Island store

t +44 (0)121 331 1903

f +44 (0)121 331 1900


e info@savekers.com

w www.savekers.com

Please refer to our standard Terms & Conditions. Visit our website or contact us for a copy.

Savekers Limited 101 Aldridge Road, Perry Barr, Birmingham, B42 2TS, United Kingdom

Ranges Available



Please contact our Sales team for further information, technical assistance or to discuss any requirements.